



WIND & WEATHER LABELS

**STRONG FOR ANY ENVIRONMENT
RELIABLE SOLUTIONS FOR
OUTDOOR USE, WAREHOUSING, AND TRANSPORT**

HERMA CAMPUS

With a continuous chain of expertise that is probably unique worldwide, HERMA is able to develop the most suitable solutions for numerous industries and fields of application, from self-adhesive materials to label variants and labelling technology.



Made in Filderstadt Germany!

Short distances and state-of-the-art facilities,
from the self-adhesive material to wind and
weather labels.



This is how quality is created – from raw material to label

The adhesive material for HERMA labels is manufactured with the highest precision on state-of-the-art coating machines – for maximum printing reliability and trouble-free application. The entire production process takes place at a single location, from raw material processing to the finished label. Short distances reduce transport requirements and conserve resources. Quality, sustainability, and efficiency – Made in Germany.

Company-owned laboratory

The HERMA laboratory is a crucial part of the company, ensuring both the innovative strength and the reliability and quality of its products.

- **Driving innovation:**

Customized solutions for customer requirements are developed quickly and efficiently.

- **Guaranteeing the highest quality:**

Each batch of labels is tested to ensure that it meets strict standards.

- **Tested and approved:**

HERMA wind and weather labels run smoothly through the printer – without paper jams.

- **Speed and flexibility:**

Customer requests can be implemented quickly, and new products brought to market faster.

- **Promoting sustainability:**

Research and testing support HERMA in the development of environmentally friendly products.




Material composite

Short distances and state-of-the-art facilities –
from adhesive material to wind and weather labels.

Adhesive materials

are ready-made composites consisting of three main components.



Label material

The labels are made of durable white film based on polyethylene, polyester, or polypropylene with good a opacity of at least 85% – no PVC for lower environmental impact!

Adhesives

The wind and weather labels use a strong adhesive, solvent-free acrylate-based adhesive – free of plasticizers and acids, and pH neutral. The adhesive also holds an ISEGA safety certificate.

Release liner

A white kraft paper, coated on one side and made from chlorine-free bleached pulp is used. Thanks to its high smoothness and coordinated back-side smoothness, it is ideal for use in laser printers and copiers.



Wind and weather labels

When labels have to withstand outdoor conditions!

- **Durable film-based label material:**

High tear and abrasion resistance: the labels made of polyethylene, polyester, or polypropylene remain intact even under mechanical stress and are therefore ideal for use in production, logistics, and laboratories – both indoors and outdoors.

- **Weatherproof label material including BS 5609 Section Two:**

The labels guarantee permanent adhesion even under extreme environmental influences. Neither severe weather nor prolonged wetness affects their adhesive strength. Even when exposed to salt water, the adhesion remains reliable. This means they meet the requirements for demanding weather conditions, including maritime applications.

- **Temperature-resistant after application: -30 °C to +80 °C (minimum)**

The labels guarantee reliable adhesion during cooling and heating processes – they do not come off in deep-freeze areas or hot storage areas. The polyethylene film labels can even withstand temperatures from -40 °C to +150 °C.

- **Strong adhesion and solvent-free:**

The acrylic-based adhesive ensures long-term reliable labeling without emitting harmful vapors – permanently safe and harmless to health.

- **Food-safe adhesive contents for safe use:**

All adhesive ingredients comply with FDA 21 CFR 175.105. This means the labels are safe for indirect food contact and can be used directly on packaging – confirmed by ISEGA certificate.



Wind and weather labels

Made for any climate!

- Ideal for heavy-duty labeling and extreme situations
- Wide range with multiple pack sizes and numerous label formats
- Weatherproof, strong adhesive and resistant to seawater and extreme temperatures



Weatherproof. Strong adhesion. Superior.

Whether sun, rain, or frost – these labels deliver what they promise. For anyone who values durable labeling: robust material, strong adhesion, and reliability in any environment. Perfect for use in production, warehouses, and outdoor applications – anywhere performance counts.

A wide range of products ensures flexible and cost-effective applications. Produced to the highest quality standards in Germany – quality that impresses!



Outdoor film labels

Assortment and application

- Extremely strong adhesion, even on critical surfaces
- Weatherproof, resistant to aging, oil- and dirt-repellent, washable, temperature resistant from -40 °C to +150 °C and seawater-resistant
- Stretchable: Ideal for adapting to curved surfaces
- High opacity: Ensures clear colors, strong contrasts, and optimal readability



For tough outdoor use.

For robust special requirements, such as outdoor applications, the label material must be 100% reliable.

HERMA outdoor labels with extra strong adhesion perform exceptionally well even under extreme conditions. They are suitable for all surfaces, including metal and plastic, and can be applied to critical substrates (such as rough, damp, cold, warm, or dusty surfaces).



Wetterfest +
strapazierfähig

Weatherproof +
hard-wearing

Résistant aux intempéries + robustes

KENNZEICHENEN IDENTIFICATION

- Wetterfestes Material mit extrem hoher Haftkraft, auch auf kritischen Oberflächen
- Ideal für stark beanspruchte Etikettierung und im Außenbereich
- Weather-resistant material with extremely powerful adhesion, also on critical surfaces
- Ideal for conditions where labels are subject to high stresses as well as outdoors
- Matériaux résistant aux intempéries avec une force adhésive extrême, même sur des surfaces critiques
- Idéales pour les étiquetages fortement sollicités et l'extérieur

No. 9500

210 x 297 mm
weiß/white/blanc

10

Etiketten/Labels/Etiquettes

4 0087

Outdoor film labels

In sheet format DIN A4 / DIN A3

Polyethylene film, extremely strong adhesion				MOQ 1	Laser	10 Sheets		40 Sheets		50 Sheets	
Label format (mm)	Color	Form/ Corners	Edge	Labels/ sheet	Ref. no.	Labels/ sheet	Ref. no.	Labels/ sheet	Ref. no.	Labels/ sheet	
45,7 x 21,2	white, matt	rounded	all-round	48	9531	480	9536	1920			
63,5 x 33,9	white, matt	rounded	all-round	24	9532	240	9537	960			
99,1 x 42,3	white, matt	rounded	all-round	12	9533	120	9538	480			
99,1 x 139,0	white, matt	rounded	all-round	4	9534	40	9539	160			
210,0 x 148,0	white, matt	sharp	without	2	9535	20	9541	80			
210,0 x 297,0	white, matt	sharp	without	1	9500	10	9543	40	9501	50	
420,0 x 297,0	white, matt	sharp	without	1	9542	10	9544	40			



Polyester labels

Assortment and application

- Ideal for heavy-duty labeling outdoors, in warehouses and in production, as well as for information and warning signs, etc.
- Weatherproof, UV- and aging-resistant, oil- and dirt-repellent, washable, temperature-resistant from -30 °C to +80 °C and seawater-resistant
- Tear-resistant polyester film: durable under extreme stress



Make a good impression even under difficult conditions.

Water, oil, dirt, temperature influences are no problem for labels made from white polyester film. Their durable surface withstands even heavy use – indoors and outdoors, when conventional paper labels are no longer sufficient. Strong adhesion for a wide range of applications and surfaces: property marking, shop window stickers, manufacturing and storage information, garbage cans, etc.



fest + zierfähig	Weatherproof + hard-wearing	Résistant aux intem- pérées + robustes
INZEICHNEN IDENTIFICATION		
<p>strapazierfähige Etikettenoberfläche</p> <p>Ideal für stark beanspruchte Etikettierungen und im Außenbereich</p> <p>• Alterungsbeständig, Öl und Schmutz abweisend, reißfest, abwaschbar, temperaturbeständig von -30 bis +80 °C</p>	<p>• Hard-wearing weather-resistant surface</p> <p>• Ideal for conditions where labels are subject to high stresses as well as outdoors</p> <p>• Resistant to ageing, oil and dirt repellent, tear resistant, wet wipeable, resistant to temperatures between -30 and +80 °C</p>	<p>• Surface robuste et résistante aux intempéries</p> <p>• Idéales pour les étiquettes fortement sollicitées et l'extérieur</p> <p>• Vieillissement, oléofugues et antisalissures, indéchirables, lavables, résistantes aux températures de -30 à +80 °C</p>

No.4698

210 x 297 mm
weiß/white/blanc

25

Etiketten/Labels/Étiquettes

4 008705 048665

Polyester labels

In sheet format DIN A4

Polyester film, strong adhesion				MOQ 1	Laser	10 Sheets		25 Sheets		80 Sheets	
Label format (mm)	Color	Form/ Corners	Edge		Labels/ sheet	Ref. no.	Labels/ sheet	Ref. no.	Labels/ sheet	Ref. no.	Labels/ sheet
37,0 x 13,0	white, matt	rounded	all-round		85			8337	2125		
37,0 x 25,0	white, matt	rounded	all-round		50			8338	1250		
48,3 x 25,4	white, matt	sharp	all-round		44	4581	440	4690	1100		
66,0 x 33,8	white, matt	sharp	all-round		24	4582	240	4691	600		
70,0 x 37,0	white, matt	sharp	without		24			4695	600		
97,0 x 42,3	white, matt	sharp	all-round		12			4692	300		
99,1 x 57,0	white, matt	rounded	all-round		10			8330	250		
99,1 x 67,7	white, matt	rounded	all-round		8			8331	200		
99,1 x 93,1	white, matt	rounded	all-round		6			8332	150		
105,0 x 148,0	white, matt	sharp	without		4	4583	40	4697	100		
190,0 x 135,0	white, matt	rounded	all-round		2			8333	50		
190,0 x 275,0	white, matt	rounded	all-round		1			8334	25		
210,0 x 148,0	white, matt	sharp	without		2			4693	50		
210,0 x 297,0	white, matt	sharp	without		1	4584	10	4698	25	10784	80
24,0 x 24,0	white, matt	rounded	all-round		70			8339	1750		
Ø 85,0	white, matt	round	all-round		6			8336	150		



Inkjet film labels

Assortment and application

- Waterproof inkjet prints thanks to special coating
- Fast drying of water-based inks
- For visually appealing outdoor labeling
- Weatherproof, temperature-resistant from -40 °C to +80 °C and seawater-resistant



Durable. Detailed. High-quality printing.

HERMA inkjet film labels deliver outstanding printing results in black and color. Thanks to a special surface coating, the labels ensure optimal ink absorption for outdoor labeling or visually appealing lettering.



Inkjet film labels

In sheet format DIN A4

Polypropylene film, strong adhesion				MOQ 1	Inkjet	10 Sheets		40 Sheets	
Label format (mm)	Color	Form/ Corners	Edge		Labels/ sheet	Ref. no.	Labels/ sheet	Ref. no.	Labels/ sheet
63,5 x 29,6	white, matt	rounded	all-round		27	4864	270	4594	1080
97,0 x 42,3	white, matt	sharp	all-round		12	4595	120	4597	480
105,0 x 148,0	white, matt	sharp	without		4	4598	40	4599	160
210,0 x 148,0	white, matt	sharp	without		2	4600	20	4601	80
210,0 x 297,0	white, matt	sharp	without		1	4866	10	4602	40



Overview of vignettes

70	85	50	48	44	27	24	24	24	12	12	10	8
24,0 x 24,0	37,0 x 13,0	37,0 x 25,0	45,7 x 21,2	48,3 x 25,4	63,5 x 29,6	63,5 x 33,9	66,0 x 33,8	70,0 x 37,0	97,0 x 42,3	99,1 x 42,3	99,1 x 57,0	99,1 x 67,7
6	4	4	2	1	2	1	6					
99,1 x 93,1	99,1 x 139,0	105,0 x 148,0	190,0 x 135,0	190,0 x 275,0	210,0 x 148,0	210,0 x 297,0	Ø 85,0					

A3

The back tells the story...

The item number printed on the back of each sheet makes it easy to identify sheets that have already been removed from the package. It also ensures that the item number selected in the software matches the sheet. This reliably prevents misprints. Reordering is no problem either, even if you only have one sheet left.



Perfect labels – tailored to printing technology and application

The shape of the corners depends on the area of application. Labels with rounded corners impress with their soft, modern look and are particularly resistant to wear and tear – ideal for long-lasting labeling and decorative applications.

On the other hand, if you need maximum space for content such as barcodes or addresses, choose labels with pointed corners.

They offer a clear, functional look and are perfect for structured labeling in everyday office use.

sharp corners

rounded corners

HERMA Label Assistant Online

LAO: design online, print locally

No download required, available 24/7

Select format, customize label, print PDF – done

Always up to date with all HERMA label formats

Design assistant: step by step to the finished label,
with preview function

Upload your own photos or logos,
visible in real preview on screen

A wide range of design templates that can be customized
Ready to use:
select a design and label format, design, print!

Serial printing of address labels from Excel – in just 3 steps
to the result

A wide range of application topics, including:
address labels and shipping instructions, file and CD labels,
gift and greeting labels, bottle labels

Video tutorials and help videos available on our homepage

Free, easy and fast: www.herma.com/lao



HERMA labels are of high-quality and can be individually printed. The software enables simple, fast and professional design. It saves time, delivers perfect results and is ideal for private and professional use – for individual labels in top quality.

WIND & WEATHER LABELS

DISCOVER THE
ENTIRE ASSORTMENT

ONLINE 

For questions and orders:
verkaufsteam-handel@herma.de

HERMA GmbH
Heinrich-Hermann-Straße 14
70794 Filderstadt • Germany
www.herma.com